



SUPERCHUTE®

SOLUTIONS FOR CONSTRUCTION & INDUSTRY

CHUTE HOISTS

Heavy-Duty Lifting Chute Hoists

Factory Line: 800-363-2488
www.superchute.com

October 2016 Edition

HOIST MODELS



Bolt Down Frames

- Our most popular hoist - 5 capacities: 250, 500, 750, 1000, 1500 lb.
- Can be installed on flat roofs, floor slabs, and through window openings
- Can be secured to the floor with expansion anchor bolts or a set of counterweights
- The support frame features a 3:1 safety factor



Roofer Hoists

- Install this counterweight chute hoist on roofs, floor slabs, and through window openings
- No tools required, only a handful of identical locking pins
- The support frame features a 3:1 safety factor
- 3 capacities: 300, 605, 905 lb.



Hoisters

- These heavy-duty chute hoists can be installed on flat roofs, floor slabs and through window openings
- Secure them to the deck with 4 anchor bolts or a set of counterweights
- 3 capacities: 610, 900, 2000 lb. each hoist consists of 11 parts + fishpole
- No part is too large for an elevator car, and all can be tied to a haul-up rope



Window Loadspreaders

- Safely support a chute from a window opening, without anchor bolts or counterweights
- The window opening must be structurally adequate
- The support frame features a 3:1 safety factor
- 2 capacities: 350, 600 lb.

HOIST MODELS



Forklift Frame

- Safely suspend a chute from a telescopic forklift - 900 lb. capacity
- No loose pieces
- The channel spacing for fork blades is adjustable
- Space saving design
- 4 built-in tie-back lanyards (at each corner) to secure the frame to the forklift



Scaffold Hoists

- Safely support a chute within a scaffold
- The weight of the chute is evenly distributed to the 4 corners of the scaffold
- The support system can be installed on top of 2 scaffold frames or between 2 scaffold frames
- Designed for 5' to 10' wide frame scaffolding
- 2 capacities: 900, 2000 lb.



Mast Climber Frame

- Designed to support up to 2000 lb. of chute on Hydro-Mobile M-Series Platforms
- The support beams for the Frame are inserted through the forklift pockets located beneath the platform
- Very easy to install - Unit is stored as 5 compact packets

PARTS & ACCESSORIES



Hand Operated Fishpole System



Drum Winch

Cam Winch

Hand Operated Winches

Fishpoles available for all models (except Forklift Frame)

HOIST ACCESSORIES



Electric Fishpole System



Anchor Bolts



Tieback Kits



Lifting Bars



Document Canisters



Counterweights



Torque Wrench



Cables & Clips

**LIFT
WELL**

www.superchute.com
Toll Free: 800-363-2488
Local: 514-365-6121
Fax: 514-365-8987
E-Mail: info@superchute.com

Superchute Ltd.
8810 Elmslie Road
Montreal, Quebec
Canada, H8R 1V6



- Made in Canada
- Consult the Superchute® Hoist manuals for more information
- For clients in the USA: Free Trade applies - No import duties or taxes
- Superchute® is a registered trademark of Superchute Ltd. (US Trademark 1737832)
- Printed in Canada